




SOAI

COMMERCIAL LIGHTING



www.soailighting.com



MODERN LIGHTING MANUFACTURING CAMPUS

Zhongshan · Guangdong Province · China

60,000 m²

TOTAL PRODUCTION BASE

50,000+ m²

PRODUCTION FACILITIES

10,000 m²

LIGHTING SHOWROOM

Zhongshan Bairan Lighting Co., Ltd.

No. 123, Zhongheng Avenue, Henglan Town, Zhongshan City, Guangdong Province, China

中山市百然灯饰有限公司 广东省中山市横栏镇中横大道123号

3

BUILDINGS

ONE INTEGRATED CAMPUS

- 01 Decorative Lighting Production
- 02 Commercial Lighting Production
- 03 Employee Accommodation



CAMPUS FUNCTION MAP



01

BUILDING 1 DECORATIVE LIGHTING

- Chandeliers · Ceiling Lights
- LED Smart · Track · Fan Lights

02

BUILDING 2 COMMERCIAL LIGHTING

- LED Panels · LED Fixtures
- Floodlights · Bulkheads
- LED Street Lights

03

BUILDING 3 EMPLOYEE ACCOMMODATION

- On-site housing for company employees.







OFFICE AND MANAGEMENT DEPARTMENTS

Modern management, product development, customer service and international cooperation in one integrated office.

KEY DEPARTMENTS

Sales Department • Finance Department • Purchasing Department • Research & Development Department






Metal Housing Production Line




Metal Laser Cutting Line



Metal Forming and Bending



Metal Powder Coating Workshop



**Plastic and Acrylic
Component Production**



**Acrylic Component
Manufacturing**







amfori QMI
Trade with purpose



amfori BSCI
Trade with purpose



ERP





SOAI

DECORATIVE LIGHTING



SOAI DECORATIVE LIGHTING

www.soailighting.com

SOAI

LED LIGHTING



SOAI LED LIGHTING

BLACK FRAME



WHITE FRAME



595 × 595 mm



32 mm



100 / 120 / 150 lm/W



2 / 3 / 5 YEARS

ITEM	POWER	ITEM SIZE	THICKNESS	PCS/CTN	LUMEN	WARRANTY	DRIVER
SO-595-595-36	36 W	595 × 595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 years	PF0.5 / PF0.9 / EMC / CE
SO-595-595-40	40 W	595 × 595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 years	PF0.5 / PF0.9 / EMC / CE
SO-595-595-48	48 W	595 × 595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 years	PF0.5 / PF0.9 / EMC / CE
SO-595-595-60	60 W	595 × 595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 years	PF0.5 / PF0.9 / EMC / CE
SO-595-595-72	72 W	595 × 595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 years	PF0.5 / PF0.9 / EMC / CE



CE SERIES



595 × 595 mm



32 mm



100 / 120 / 150 lm/W



175–265 V



PF0.9 • EMC



ALUMINUM FRAME



LED LENSES



DIFFUSER • 0.7 mm



BACKPLATE • 0.22 mm




ALUMINUM FRAME

ITEM	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	LUMEN	WARRANTY	DRIVER
SO-595-595-36-CE	36 W	595×595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 year	PF0,9 / EMC / CE
SO-595-595-40-CE	40 W	595×595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 year	PF0,9 / EMC / CE
SO-595-595-48-CE	48 W	595×595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 year	PF0,9 / EMC / CE
SO-595-595-60-CE	60 W	595×595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 year	PF0,9 / EMC / CE
SO-595-595-72-CE	72 W	595×595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	2 / 3 / 5 year	PF0,9 / EMC / CE



HIGH-EFFICIENCY SERIES



HIGH LUMINOUS EFFICACY



DRIVER



5-YEAR WARRANTY



PF0.9 · EMC



CE CERTIFIED

ITEM	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	LUMEN	WARRANTY	DRIVER
S0-595-595-40-CE-120	40 W	595×595 mm	32 mm	10 pcs	120 lm/W	5 year	STARSENSE · CE certificate · PF0.9 · EMC
S0-595-595-30-CE-140	30 W	595×595 mm	32 mm	10 pcs	140 lm/W	5 year	STARSENSE · CE certificate · PF0.9 · EMC
S0-595-595-24-CE-160	24 W	595×595 mm	32 mm	10 pcs	160 lm/W	5 year	STARSENSE · CE certificate · PF0.9 · EMC



ENERGY-EFFICIENT SERIES



ENERGY EFFICIENCY

100
lm/W

120
lm/W

150
lm/W

40 W



**5-YEAR
WARRANTY**

DRIVER OPTIONS

STARSENSE



EAGLERISE



LiFud



PHILIPS



CE CERTIFIED



EMC




PF0.95

ITEM	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	LUMEN	WARRANTY	DRIVER
SO-595-595-40-CE-SELP	40 W	595×595 mm	32 mm	10 pcs	100 / 120 / 150 lm/W	5 year	CE certificate driver · EMC · PF0.95 · EAGLERISE · STARSENSE · LiFud · PHILIPS



SELECTABLE CCT SERIES



SELECTABLE CCT SWITCH

↑ WW · 3000K

☰ NW · 4000K

↓ CW · 6500K

3000K · WARM WHITE




4000K · NEUTRAL WHITE



6500K · COOL WHITE



595 × 595 mm



32 mm



100 lm/W




10 pcs / CTN




2-YEAR WARRANTY

ITEM	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	LUMEN	WARRANTY	SPECIFICATION
SO-595-595-36-CCT	36 W	595×595 mm	32 mm	10 pcs	100 lm/W	2 year	CCT · 3000K / 4000K / 6500K
SO-595-595-40-CCT	40 W	595×595 mm	32 mm	10 pcs	100 lm/W	2 year	CCT · 3000K / 4000K / 6500K
SO-595-595-48-CCT	48 W	595×595 mm	32 mm	10 pcs	100 lm/W	2 year	CCT · 3000K / 4000K / 6500K




UGR<19

REDUCED GLARE




UNIFORM LIGHT



COMFORTABLE VISION



595 × 595 mm



32 mm



100 lm/W



10 pcs / CTN




2-YEAR WARRANTY

ITEM	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	LUMEN	WARRANTY	SPECIFICATION
SO-595-595-36-19	36 W	595×595mm	32mm	10 pcs	100 lm/W	2 year	UGR<19
SO-595-595-40-19	40 W	595×595mm	32mm	10 pcs	100 lm/W	2 year	UGR<19
SO-595-595-48-19	48 W	595×595mm	32mm	10 pcs	100 lm/W	2 year	UGR<19
SO-595-595-60-19	60 W	595×595mm	32mm	10 pcs	100 lm/W	2 year	UGR<19
SO-595-595-72-19	72 W	595×595mm	32mm	10 pcs	100 lm/W	2 year	UGR<19



SURFACE-MOUNTED PANEL



SURFACE MOUNTED



EASY
INSTALLATION




NO RECESSED
CEILING REQUIRED



UNIFORM
LIGHT



595 × 595 mm



38 mm



100 lm/W




2-YEAR WARRANTY

ITEM	POWER	ITEM SIZE (mm)	ITEM THICKNESS	LUMEN	WARRANTY	SPECIFICATION
SO-595-595-36-S	36 W	595×595mm	38mm	100 lm/W	2 year	SURFACE
SO-595-595-40-S	40 W	595×595mm	38mm	100 lm/W	2 year	SURFACE
SO-595-595-48-S	48 W	595×595mm	38mm	100 lm/W	2 year	SURFACE
SO-595-595-60-S	60 W	595×595mm	38mm	100 lm/W	2 year	SURFACE
SO-595-595-72-S	72 W	595×595mm	38mm	100 lm/W	2 year	SURFACE






295 × 295 mm



295 × 595 mm



295 × 1195 mm



32 mm



100 lm/W




10 pcs / CTN




2-YEAR WARRANTY

MODEL	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	WARRANTY	LM/W
SL1155	18 W	295 × 295mm	32mm	10 pcs	2 year	100 lm/W
SL1156	24 W	295 × 295mm	32mm	10 pcs	2 year	100 lm/W
SL1157	36 W	295 × 295mm	32mm	10 pcs	2 year	100 lm/W
SL1159	24 W	295 × 595mm	32mm	10 pcs	2 year	100 lm/W
SL1160	36 W	295 × 595mm	32mm	10 pcs	2 year	100 lm/W
SL1162	36 W	295 × 1195mm	32mm	10 pcs	2 year	100 lm/W
SL1163	48 W	295 × 1195mm	32mm	10 pcs	2 year	100 lm/W
SL1164	60 W	295 × 1195mm	32mm	10 pcs	2 year	100 lm/W






595 × 1195 mm



595 × 1195 mm



32 mm



100 lm/W



2-YEAR WARRANTY

MODEL	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	WARRANTY	LM/W
SL1166	48 W	595 × 1195mm	32mm	10 pcs	2 year	100 lm/W
SL1167	96 W	595 × 1195mm	32mm	10 pcs	2 year	100 lm/W





SURFACE MOUNTED




295 × 595 mm



295 × 1195 mm



595 × 1195 mm



32 mm



100 lm/W



EASY INSTALLATION






2-YEAR WARRANTY

ITEM	POWER	ITEM SIZE (mm)	ITEM THICKNESS	LUMEN	WARRANTY	SPECIFICATION
SL4254	24 W	295 × 595 mm	32mm	100 lm/W	2 year	SURFACE
SL4255	36 W	295 × 595 mm	32mm	100 lm/W	2 year	SURFACE
SL4256	36 W	295 × 1195mm	32mm	100 lm/W	2 year	SURFACE
SL4257	48 W	295 × 1195mm	32mm	100 lm/W	2 year	SURFACE
SL4258	60 W	295 × 1195mm	32mm	100 lm/W	2 year	SURFACE
SL4259	48 W	595 × 1195mm	32mm	100 lm/W	2 year	SURFACE
SL4260	96 W	595 × 1195mm	32mm	100 lm/W	2 year	SURFACE



LED FRAME



3CCT · 3000K / 4000K / 6500K



595 × 595 mm



10 mm



100 lm/W



3 600 lm



2-YEAR WARRANTY

MODEL	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	WARRANTY	LM/W	TOTAL LUMEN
SL1180	48 W	595×595mm	10 mm	10 pcs	2 year	100 lm/W	3 600 lm
SL1182	48 W	595×595mm	10 mm	10 pcs	2 year	100 lm/W	3 600 lm
SL1183	60 W	595×595mm	10 mm	10 pcs	2 year	100 lm/W	3 600 lm
SL1184	40 W	595×595mm · 3CCT 3000K / 4000K / 6500K	10 mm	10 pcs	2 year	100 lm/W	3 600 lm



MOUNTING ACCESSORIES

SURFACE MOUNTING SYSTEM



1 meter · SL1194

2 meters · SL1416



1 meter · SL1194

2 meters · SL1417

CLIPS



CLIPS · SL1195



SURFACE FRAME



PLASTIC FRAME




ALUMINUM FRAME

MODEL	SIZE	MATERIAL
SL1197	295×295mm	PLASTIC
SL1198	295×595mm	PLASTIC
SL1199	595×595mm	PLASTIC
SL1200	295×1195mm	PLASTIC
SL1201	595×1195mm	PLASTIC

MODEL	SIZE	MATERIAL
SL1203	295×295mm	ALUMINUM
SL1204	295×595mm	ALUMINUM
SL1205	595×595mm	ALUMINUM
SL1206	595×1195mm	ALUMINUM
SL1207	595×1195mm	ALUMINUM

GRILLE PANEL SERIES



SL1210 • 48 W

SL1211 • 60 W


SL1212 • 96 W



SL1224 • 48 W

SL1225 • 60 W

SL1226 • 96 W




SL1228 • 48 W

SL1229 • 60 W

SL1230 • 96 W

LINEAR GRILLE PANEL



595 × 595 mm



13 mm



100 lm/W



10 pcs / CTN



2-YEAR WARRANTY



AC175-265V

MODEL	POWER	ITEM SIZE (mm)	ITEM THICKNESS	PCS/CTN	WARRANTY	LM/W
SL1250	48 W	595×595mm	13 mm	10 pcs	2 year	100 lm/W
SL1251	60 W	595×595mm	13 mm	10 pcs	2 year	100 lm/W
SL1252	96 W	595×595mm	13 mm	10 pcs	2 year	100 lm/W
SL1253	120 W	595×595mm	13 mm	10 pcs	2 year	100 lm/W





SL1268	96 W
SL1269	120 W



SL1271	96 W
SL1272	120 W



SL1274	96 W
SL1275	120 W



595 × 595 mm



100 lm/W



2-YEAR WARRANTY



AC175-265V

RECESSED GRILLE LIGHT



595 × 595 mm

SL1228	48 W
SL1229	60 W
SL1230	96 W

SURFACE GRILLE LIGHT



595 × 595 mm

SL1228	48 W
SL1229	60 W
SL1230	96 W



UGR 16 PANEL SERIES




MODEL	POWER	WARRANTY	SPECIFICATION
SL1281	48 W	2 year	No-isolated AC175-265V, UGR 16
SL1282	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1283	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16



MODEL	POWER	WARRANTY	SPECIFICATION
SL1309	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1310	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16



MODEL	POWER	WARRANTY	SPECIFICATION
SL1291	48 W	2 year	No-isolated AC175-265V, UGR 16
SL1292	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1293	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16




MODEL	POWER	WARRANTY	SPECIFICATION
SL1288	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1289	48 W	2 year	No-isolated AC175-265V, UGR 16
SL1290	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16




UGR 16 PANEL SERIES




MODEL	POWER	WARRANTY	SPECIFICATION
SL1284	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1285	40 W	3 year	Lifud YS AC220-240V, PF ≥0.9, UGR 16
SL1286	48 W	2 year	No-isolated AC175-265V, UGR 16



MODEL	POWER	WARRANTY	SPECIFICATION
SL1294	40 W	2 year	No-isolated AC175-265V, UGR 16
SL1295	40 W	3 year	Lifud YS AC220-240V, PF ≥0.9, UGR 16



MODEL	POWER	WARRANTY	SPECIFICATION
SL1301	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1302	40 W	3 year	Lifud YS AC220-240V, PF ≥0.9, UGR 16




MODEL	POWER	WARRANTY	SPECIFICATION
SL1303	48 W	2 year	No-isolated AC175-265V, UGR 16
SL1304	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1305	40 W	3 year	Lifud YS AC220-240V, PF ≥0.9, UGR 16




UGR 16 PANEL SERIES




MODEL	POWER	WARRANTY	SPECIFICATION
SL1311	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1312	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16



MODEL	POWER	WARRANTY	SPECIFICATION
SL1297	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1298	48 W	2 year	No-isolated AC175-265V, UGR 16
SL1299	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16



MODEL	POWER	WARRANTY	SPECIFICATION
SL1314	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1315	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1316	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16



MODEL	POWER	WARRANTY	SPECIFICATION
SL1317	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1318	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16



295×1195×29 mm

MODEL	POWER	WARRANTY	SPECIFICATION
SL1320	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1321	48 W	2 year	No-isolated AC175-265V, UGR 16
SL1322	40 W	2 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16



295×1195×29 mm

MODEL	POWER	WARRANTY	SPECIFICATION
SL1323	40 W	3 year	No-isolated AC175-265V, UGR 16
SL1324	40 W	3 year	Lifud YS AC220-240V, PF ≥ 0.9 , UGR 16



ZHONGSHAN SOAI LIGHTING CO., LTD

LIGHTING FIXTURES LED

SOAI

www.soailighting.com

LINEAR LED FIXTURE SERIES



IP20



IRON BODY



MATTE DIFFUSER



SURFACE MOUNTED

MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1430	600 mm	50 mm	18 W	IP20	Iron	Matte
SL1431	1200 mm	50 mm	36 W	IP20	Iron	Matte

MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1433	600 mm	65 mm	18 W	IP20	Iron	Matte
SL1434	1200 mm	65 mm	36 W	IP20	Iron	Matte

MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1436	300 mm	75 mm	9 W	IP20	Iron	Matte
SL1437	600 mm	75 mm	18 W	IP20	Iron	Matte
SL1438	900 mm	75 mm	27 W	IP20	Iron	Matte
SL1439	1200 mm	75 mm	36 W	IP20	Iron	Matte



LINEAR LED FIXTURE SERIES



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1447	600 mm	62 mm	27 W	IP20	Iron	Matte
SL1448	1200 mm	62 mm	36 W	IP20	Iron	Matte
SL1449	1200 mm	62 mm	48 W	IP20	Iron	Matte
SL1450	1200 mm	62 mm	57 W	IP20	Iron	Matte
SL1451	1200 mm	62 mm	72 W	IP20	Iron	Matte
SL1452	1200 mm	73 mm	90 W	IP20	Iron	Matte



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL4264	600 mm	62 mm	27 W	IP20	Iron	Transparent
SL4265	1200 mm	62 mm	36 W	IP20	Iron	Transparent
SL4266	1200 mm	62 mm	48 W	IP20	Iron	Transparent
SL4267	1200 mm	62 mm	57 W	IP20	Iron	Transparent
SL4268	1200 mm	62 mm	72 W	IP20	Iron	Transparent
SL4269	1200 mm	73 mm	90 W	IP20	Iron	Transparent



LINEAR LED FIXTURE SERIES



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1440	600 mm	75 mm	27 W	IP20	Iron	Matte
SL1441	1200 mm	75 mm	54 W	IP20	Iron	Matte
SL1442	1200 mm	75 mm	80 W	IP20	Iron	Matte



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL4270	600 mm	75 mm	27 W	IP20	Iron	Transparent
SL4271	1200 mm	75 mm	54 W	IP20	Iron	Transparent
SL4272	1200 mm	75 mm	80 W	IP20	Iron	Transparent



LINEAR LED FIXTURE SERIES



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1443	1200 mm	95 mm	100 W	IP20	Iron	Matte
SL1444	1200 mm	95 mm	120 W	IP20	Iron	Matte
SL4273	1200 mm	95 mm	100 W	IP20	Iron	Transparent
SL4274	1200 mm	95 mm	120 W	IP20	Iron	Transparent



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1443	1200 mm	100 mm	100 W	IP20	Iron	Matte
SL1444	1200 mm	100 mm	120 W	IP20	Iron	Matte
SL1445	1200 mm	100 mm	150 W	IP20	Iron	Matte



LINEAR LED FIXTURE SERIES



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1475	600 mm	75 mm	18 W	IP20	Iron	Matte / black
SL1476	1200 mm	75 mm	36 W	IP20	Iron	Matte / black



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1481	600 mm	75 mm	18 W	IP20	Iron	In-line connection
SL1482	1200 mm	75 mm	36 W	IP20	Iron	In-line connection

OPTIONAL DESIGN CUSTOMIZATION

Fixture end-cap designs can be customized to meet project requirements. Multiple decorative cover and profile options are available.



LINEAR LED FIXTURE SERIES




MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1463	300 mm	75 mm	9 W	IP20	Aluminum	Matte
SL1464	600 mm	75 mm	18 W	IP20	Aluminum	Matte
SL1465	1200 mm	75 mm	36 W	IP20	Aluminum	Matte



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1466	600 mm	75 mm	27 W	IP20	Aluminum	Matte
SL1467	1200 mm	75 mm	54 W	IP20	Aluminum	Matte
SL1468	1200 mm	75 mm	80 W	IP20	Aluminum	Matte
SL1469	1200 mm	95 mm	120 W	IP20	Aluminum	Matte

IP65 LIGHTING FIXTURES



MODEL	SIZE	WIDTH	POWER	IP	MATERIAL	SPECIFICATION
SL1454	600 mm	40 mm	15 W	IP65	Iron	IP65
SL1455	600 mm	50 mm	18 W	IP65	Iron	IP65

ZHONGSHAN SOAI LIGHTING CO., LTD


LED BULKHEAD

www.soailighting.com

SOAI



LED BULKHEAD SERIES



MODEL NO.	COLOR	POWER	REAL POWER	ITEM SIZE (mm)	SPECIFICATION
SL4278	White	9 W	9 W	168×70×46 mm	Linear BULKHEAD IP54
SL4279	White	18 W	18 W	208×100×52 mm	Linear BULKHEAD IP54
SL4286	White	9 W	9 W	168×70×46 mm	motion sensor BULKHEAD IP54
SL4287	White	18 W	18 W	208×100×52 mm	motion sensor BULKHEAD IP54



MODEL NO.	COLOR	POWER	REAL POWER	ITEM SIZE (mm)	SPECIFICATION
SL4280	White	9 W	9 W	140×140×57 mm	Linear BULKHEAD IP54
SL4281	White	18 W	18 W	170×170×57 mm	Linear BULKHEAD IP54
SL4288	White	9 W	9 W	140×140×57 mm	motion sensor BULKHEAD IP54
SL4289	White	18 W	18 W	170×170×57 mm	motion sensor BULKHEAD IP54



ZHONGSHAN SOAI LIGHTING CO., LTD

SOAI

LED FLOOD LIGHT

www.soailighting.com



LED FLOODLIGHT SERIES

1. STANDARD FLOODLIGHT




MODEL NO.	COLOR	POWER	ITEM SIZE (mm)
SL4290	Black	10 W	70×19×56 mm
SL4291	Black	20 W	100×21×83 mm
SL4292	Black	30 W	128×22×105 mm
SL4293	Black	50 W	156×23×130 mm
SL4294	Black	100 W	228×26×188 mm
SL4295	Black	150 W	266×27×216 mm
SL4296	Black	200 W	318×29×240 mm
SL4297	Black	250 W	370×31×280 mm
SL4298	Black	300 W	428×32×320 mm
SL4299	Black	400 W	460×39×340 mm

2. SENSOR FLOODLIGHT



MODEL NO.	COLOR	POWER	ITEM SIZE (mm)
SL4300	Black	10 W	70×19×56 mm
SL4301	Black	20 W	100×21×83 mm
SL4302	Black	30 W	128×22×105 mm
SL4303	Black	50 W	156×23×130 mm
SL4304	Black	100 W	228×26×188 mm
SL4305	Black	150 W	266×27×216 mm
SL4306	Black	200 W	318×29×240 mm

LED FLOODLIGHT SERIES




MODEL NO.	COLOR	POWER	ITEM SIZE (mm)
SL4324	Black	10 W	75×65×29 mm
SL4325	Black	10 W	98×84×30 mm
SL4326	Black	20 W	110×90×30 mm
SL4327	Black	30 W	145×110×30 mm
SL4328	Black	50 W	190×135×35 mm
SL4329	Black	100 W	222×172×35 mm
SL4330	Black	150 W	252×198×35 mm
SL4331	Black	200 W	315×213×35 mm
SL4332	Black	300 W	357×263×35 mm
SL4333	Black	400 W	412×292×36 mm



MODEL NO.	COLOR	POWER	ITEM SIZE (mm)
SL4334	Black	10 W	75×65×29 mm
SL4335	Black	10 W	98×84×30 mm
SL4336	Black	20 W	110×90×30 mm
SL4337	Black	30 W	145×110×30 mm
SL4338	Black	50 W	190×135×35 mm
SL4339	Black	100 W	222×172×35 mm
SL4340	Black	150 W	252×198×35 mm
SL4341	Black	200 W	315×213×35 mm

LED FLOODLIGHT SERIES



MODEL NO.	COLOR	POWER	ITEM SIZE (mm)	SPECIFICATION
SL4360	Black	10 W	98×84×30 mm	Material: Aluminum DOB 175-265V 120 lm/W 2 year warranty
SL4361	Black	20 W	110×90×30 mm	
SL4362	Black	30 W	145×110×30 mm	
SL4363	Black	50 W	190×135×35 mm	
SL4364	Black	100 W	222×172×35 mm	




MODEL NO.	COLOR	POWER	ITEM SIZE (mm)	SPECIFICATION
SL4365	Black	10 W	98×84×30 mm	motion sensor Material: Aluminum DOB 175-265V 120 lm/W 2 year warranty
SL4366	Black	20 W	110×90×30 mm	
SL4367	Black	30 W	145×110×30 mm	
SL4368	Black	50 W	190×135×35 mm	
SL4369	Black	100 W	222×172×35 mm	

LED FLOODLIGHT SERIES




MODEL NO.	COLOR	POWER	ITEM SIZE (mm)	SPECIFICATION
SL4370	White	10 W	98×84×30 mm	Material: Aluminum DOB 175-265V 120 lm/W 2 year warranty Connecting removable motion sensor
SL4371	White	20 W	110×90×30 mm	
SL4372	White	30 W	145×110×30 mm	
SL4373	White	50 W	190×135×35 mm	
SL4374	White	100 W	222×172×35 mm	
SL4375	White			motion sensor




MODEL NO.	COLOR	POWER	ITEM SIZE (mm)	SPECIFICATION
SL4376	Black	10 W	98×84×30 mm	Material: Aluminum DOB 175-265V 120 lm/W 2 year warranty Connecting removable motion sensor
SL4377	Black	20 W	110×90×30 mm	
SL4378	Black	30 W	145×110×30 mm	
SL4379	Black	50 W	190×135×35 mm	
SL4380	Black	100 W	222×172×35 mm	
SL4381	Black			motion sensor

LED FLOODLIGHT SERIES



MODEL NO.	COLOR	POWER	ITEM SIZE (mm)
SL4382	Black	10 W	85×65×18 mm
SL4383	Black	20 W	99×80×18 mm
SL4384	Black	30 W	120×89×18 mm
SL4385	Black	50 W	161×120×18 mm
SL4386	Black	100 W	204×155×18 mm
SL4387	Black	150 W	240×185×20 mm
SL4388	Black	200 W	270×210×20 mm
SL4389	Black	300 W	320×230×20 mm
SL4390	Black	400 W	380×280×25 mm
SL4391	Black	500 W	440×330×25 mm



MODEL NO.	COLOR	POWER	ITEM SIZE (mm)
SL4402	Black	10 W	85×65×18 mm
SL4403	Black	20 W	99×80×18 mm
SL4404	Black	30 W	120×89×18 mm
SL4405	Black	50 W	161×120×18 mm
SL4406	Black	100 W	204×155×18 mm
SL4407	Black	150 W	240×185×20 mm
SL4408	Black	200 W	270×210×20 mm
SL4409	Black	300 W	320×230×20 mm

SOAI

LED STREET LIGHT



SOAI LED STREET LIGHT

LED STREETLIGHT SERIES



MODEL NO.	POWER	COLOR	SIZE	CALIBER	PF	PROTECTION	VOLTAGE	WARRANTY
SL4432	30 W	Grey	350×150×65 mm	40 mm	≥0.95	4KV	AC185-265V	2-year
SL4433	50 W	Grey	500×215×65 mm	50 mm	≥0.95	4KV	AC185-265V	2-year
SL4434	100 W	Grey	720×270×80 mm	60 mm	≥0.95	4KV	AC185-265V	2-year
SL4435	150 W	Grey	860×300×80 mm	60 mm	≥0.95	4KV	AC185-265V	2-year
SL4436	200 W	Grey	950×310×80 mm	60 mm	≥0.95	4KV	AC185-265V	2-year



SOAI


SOLAR STREET LIGHT



SOAI SOLAR STREET LIGHT



Model	Power	Color	Size	Battery	Solar Panel	Warranty
SL4443	40W	Black	388*193*50mm	3,2V, 6Ah	301*187mm / 6V. 6W	2 year
SL4444	80W	Black	484*218*50mm	3,2V, 12Ah	398*212mm / 6V. 8W	2 year
SL4445	120W	Black	620*238*50mm	3,2V, 15Ah	507*231mm / 6V. 12W	2 year
SL4446	200W	Black	720*240*50mm	3,2V, 15Ah	507*231mm / 6V. 15W	2 year
SL4447	250W	Black	820*240*55mm	3,2V, 15Ah	507*231mm / 6V. 18W	2 year






Model	Power	Color	Size	Battery	Solar Panel	Warranty
SL4437	Grey	Grey	520*200*90mm	3,2V, 25Ah	530*350*15mm 6V. 25W	2 year
SL4438	Grey	Grey	550*230*90mm	3,2V, 30Ah	600*350*15mm 6V. 30W	2 year



Model	Power	Color	Size	Battery	Solar Panel	Warranty
SL4439	Grey	Grey	520*200*90mm	3,2V, 25Ah	530*350*15mm 6V. 25W	2 year
SL4440	Grey	Grey	550*230*90mm	3,2V, 30Ah	600*350*15mm 6V. 30W	2 year



Model	Power	Color	Size	Battery	Solar Panel	Warranty
SL4441	Grey	Grey	550*230*85mm	3,2V, 25Ah	530*350*15mm 6V. 25W	2 year
SL4442	Grey	Grey	590*260*80mm	3,2V, 30Ah	600*350*15mm 6V. 30W	2 year



SOAI



Zhongshan Bairan Lighting Co., Ltd.



Zhongshan SOAI Lighting Technology Co., Ltd.



www.soailighting.com