

SOAI

lighting

TRACK LIGHTING

CATALOG



Zhongshan suoai Lighting
Co.,LTD (10.1-D02)

www.soailighting.com

SOAI
lighting

TRACK LIGHTING



MAGNETIC
SYSTEM



FLEXIBLE
DESIGN



HIGH
PERFORMANCE



EASY
INSTALLATION



SAFE &
RELIABLE



www.soailighting.com

SOAI
lighting

TRACK LIGHTING

SOAI
LIGHTING

Zhongshan suoai Lighting
Co.,LTD (10.1-D02)



www.soailighting.com

FLOOD LIGHT
SERIES

20 LUXURY MODEL



HIGH
BRIGHTNESS
RA≥80



RELIABLE
QUALITY
48V/50Hz




BEAM ANGLE
120°



Product Features

- Slim and modern design
- High efficiency and uniform light output
- Excellent heat dissipation
- Easy installation and stable performance
- Ideal for commercial and residential lighting



FLOOD LIGHT SERIES						
Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA20-300FGA	12W	SA	RA≥80	48V/50Hz	120°	L300*W22*H43mm
SA20-600FGA	24W	SA	RA≥80	48V/50Hz		L600*W22*H43mm
SA20-900FGA	36W	SA	RA≥80	48V/50Hz		L900*W22*H43mm
SA20-1200FGA	48W	SA	RA≥80	48V/50Hz		L1200*W22*H43mm



PREMIUM
QUALITY



EASY
INSTALLATION



ENERGY
EFFICIENT



LONG
LIFESPAN

20 LUXURY MODEL

GRILLE LIGHT SERIES

Anti-glare design with precise optical control,
perfect for accent and display lighting.



HIGH
BRIGHTNESS
RA $\geq$ 80




RELIABLE
QUALITY
48V/50Hz



SPOTLIGHT
BEAM ANGLE
24°



Model No.	Power	LED Brand	CRI $\geq$	Beam Angle	Size (mm)
SA20-6GSA	6W	SA	RA $\geq$ 80	48V/50Hz	Spotlight 24°
SA20-12GSA	12W	SA	RA $\geq$ 80	48V/50Hz	
SA20-18GSA	18W	SA	RA $\geq$ 80	L326*W22*H43mm	
SA20-24GSA	24W	SA	RA $\geq$ 80	L435*W22*H43mm	



20 LUXURY MODEL

FOLDING LIGHT SERIES

Adjustable folding design with versatile lighting
direction, ideal for flexible and creative spaces.




HIGH
BRIGHTNESS
RA $\geq$ 80





RELIABLE
QUALITY
48V/50Hz



SPOTLIGHT
BEAM ANGLE
24°



Model No.	Power	LED Brand	CRI	Beam Angle	Size (mm)
SA20-6ZDA	6W	SA	RA $\geq$ 80	L115*W22*H105mm	Spotlight*H105mm
SA20-12ZDA	12W	SA	RA $\geq$ 80	L222*W22*H105mm	
SA20-18ZDA	18W	SA	RA $\geq$ 80	L330*W22*H105mm	
SA20-24ZDA	24W	SA	RA $\geq$ 80	L438*W22*H105mm	



PREMIUM
QUALITY



EASY
INSTALLATION



ENERGY
EFFICIENT



LONG
LIFESPAN

TRACK LIGHT SERIES

20 LUXURY & FASHION MODELS



HIGH
BRIGHTNESS
RA≥80 / RA≥95



RELIABLE
QUALITY
48V/50Hz



PRECISE
BEAM ANGLE
10° - 55°

01

20 LUXURY MODEL TRACK LIGHT SERIES

Spotlight 24°



Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA20-10GDA	10W	Bridgelux	RA≥95	48V/50Hz	Spotlight 24°	Φ45*100mm
SA20-20GDA	20W	Bridgelux	RA≥95	48V/50Hz	Spotlight 24°	Φ53*140mm
SA20-30GDA	30W	Bridgelux	RA≥95	48V/50Hz	Spotlight 24°	Φ63*140mm



Spotlight
24°



02

20 FASHION MODEL ADJUSTABLE FOCUS TRACK LIGHT SERIES

Adjustable Beam Angle 10° - 55°



Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA20-7TGD	7W	Bridgelux	RA≥95	48V/50Hz	10° - 55°	Φ45*100mm
SA20-12TGD	12W	Bridgelux	RA≥95	48V/50Hz	10° - 55°	Φ58*115mm
SA20-20TGD	20W	Bridgelux	RA≥95	48V/50Hz	10° - 55°	Φ68*135mm



Adjustable
10° - 55°



03

ROTATING TRACK LIGHT


Spotlight 24°



Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA20-5507GD	7W	Bridgelux	RA≥95	48V/50Hz	Spotlight 24°	Φ55*70mm
SA20-6712GD	12W	Bridgelux	RA≥95	48V/50Hz		Φ67*80mm



Spotlight
24°



PREMIUM
QUALITY



EASY
INSTALLATION



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

PENDANT LIGHT SERIES

20 LUXURY & FASHION MODELS

HIGH BRIGHTNESS
RA≥80 / RA≥95

RELIABLE QUALITY
48V/50Hz

PRECISE BEAM ANGLE
10° - 55°



01

20 PENDANT
LIGHT SERIES

Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA20-DX300701	7W	Bridgelux	RA≥95	48V/50hz	Spotlight 24°	Φ30*300mm
SA20-DX600701	7W	Bridgelux	RA≥95	48V/50hz	Spotlight 24°	Φ30*600mm
SA20-DX900701	7W	Bridgelux	RA≥95	48V/50hz	Spotlight 24°	Φ30*900mm

02

20 MODEL
BOWLING BALL
PENDANT SERIES

Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA20-DX550703	7W	Body: White/Black	RA≥90	48V/50hz	Spotlight 24°	Φ55*H400mm

03

20 MODEL
GRENADE CYLINDRICAL
PENDANT SERIES

Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA20-DX550703	7W	Body: White/Black	RA≥90	48V/50hz	Spotlight 24°	Φ40*H300mm

04

20 MODEL
GRENADE SQUARE COLUMN
PENDANT SERIES

Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA20-DX550704	7W	Body: White/Black	RA≥90	48V/50hz	Spotlight 24°	40*H300mm

DECORATIVE PENDANT
LIGHT SERIES

20 LUXURY & FASHION MODELS

HIGH
BRIGHTNESS

RA≥80 / RA≥95

RELIABLE
QUALITY

48V/50Hz

PRECISE
BEAM ANGLE

24°




20 PENDANT
LIGHT SERIES

Elegant glass pendant
with mesh inner structure
delivers soft and decorative
lighting for modern interiors.

Spotlight
24°

Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA-DX1450705	7W	Body: Pearl Black	RA≥90	48V/50Hz	Spotlight 24°	Φ145° H220mm




20 MODEL
BOWLING BALL
PENDANT SERIES

Stylish grid-patterned glass
pendant creates a unique
light effect and enhances
any contemporary space.

Spotlight
24°

Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA-DX1380706	7W	Body: Pearl Black	RA≥90	48V/50Hz	Spotlight 24°	Φ138° H310mm




20 MODEL
SMALL TOWER
PENDANT SERIES

Compact and modern pendant
with a beautifully designed
inner mesh for warm and
cozy illumination.

Spotlight
24°

Model No.	Power	LED Brand	CRI	Voltage	Beam Angle	Size (mm)
SA-DX1600707	7W	Body: Pearl Black	RA≥90	48V/50Hz	Spotlight 24°	Φ160° H149mm



PENDANT LIGHT SERIES

20 LUXURY & FASHION MODELS



HIGH BRIGHTNESS
RA≥80 / RA≥95



RELIABLE QUALITY
48V/50Hz



PRECISE BEAM ANGLE
24°




TOWER-IN-TOWER

- Unique double-layer design
- Soft and comfortable light
- Modern and minimal style
- Perfect for any space



Spotlight
24°

Model No.	Power	Body	CRI	Voltage	Beam Angle	Size (mm)
SA-DX1350708	7W	Black + White	RA≥90	48V/50Hz	Spotlight 24°	Φ135° H65mm





CYLINDRICAL SHADE

- Elegant cylindrical glass shade
- Soft and uniform illumination
- Black gold finish
- Ideal for modern interiors



Spotlight
24°

Model No.	Power	Body	CRI	Voltage	Beam Angle	Size (mm)
SA-DX1130709	7W	Black Gold	RA≥90	48V/50Hz	Spotlight 24°	Φ113° H255mm




WIND & CLOUD

- Delicate milky glass
- Warm and soft lighting
- Black gold finish
- Creates a cozy atmosphere



Spotlight
24°

Model No.	Power	Body	CRI	Voltage	Beam Angle	Size (mm)
SA-DX980710	7W	Black Gold	RA≥90	48V/50Hz	Spotlight 24°	Φ98° H195mm





MESH TUBE

- Mesh pattern design
- Soft and non-glare light
- Multiple color options
- Stylish and modern look



Spotlight
24°

Model No.	Power	Body	CRI	Voltage	Beam Angle	Size (mm)
SA-DX500711	7W	Pearl Black, Gold, Milky White	RA≥90	48V/50Hz	Spotlight 24°	Φ50° H315mm



PREMIUM
QUALITY



EASY
INSTALLATION



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

DECORATIVE MAGNETIC LIGHT SERIES

20 LUXURY & FASHION MODELS

 **HIGH BRIGHTNESS**
RA $\geq$ 80 / RA $\geq$ 95

 **RELIABLE QUALITY**
48V/50Hz

 **360° BEAM ANGLE**
UNIFORM LIGHT



MAGNETIC NEON LIGHT

- Soft and uniform light
- 360° beam angle
- Bendable and creative design
- Multiple colors
- Easy magnetic installation

 **360° BEAM ANGLE**

Model No.	Power	CRI	Voltage	Beam Angle	Length
SA20-DX1010	10W	RA $\geq$ 80	48V/50hz	360°	1M
SA20-DX1515	15W	RA $\geq$ 80	48V/50hz	360°	1.5M
SA20-DX2020	20W	RA $\geq$ 80	48V/50hz	360°	2M



 **360°**

 **MAGNETIC INSTALLATION**



20 MODEL AMBIENT LIGHT

- Elegant ambient lighting
- Soft and comfortable illumination
- Modern glass design
- Ideal for decorative spaces

 **50° BEAM ANGLE**

Model No.	Power	CRI	Voltage	Beam Angle	Size (mm)
SA20-J7	7W	RA $\geq$ 90	48V/50hz	50°	75*280





SINGLE-HEAD MINI SPOTLIGHT

- Compact and mini design
- High focus spotlight
- Precise lighting
- Magnetic track installation

 **Spotlight 24°**

Model No.	Power	CRI	Voltage	Beam Angle	Size (mm)
SA20-SD0102	2W	RA $\geq$ 90	48V/50hz	24°	L36°W22°H45mm



TRACK LIGHT ACCESSORIES

Precision Components. Perfect Performance.



SPECIFICATION	MODEL	PRODUCT IMAGE	INSTALLATION METHOD / MOUNTING OPTION	COLOR	SIZE / MM
Ultra-thin Surface-mounted Track Bar - Ultra-thin design for a sleek look and space-saving installation - Strong and durable aluminum construction - Easy installation and stable connection	SA26-A3			Black/White	1 m 2 m 3 m
Power End Cap - Connects and seals the end of the track - Ensures safe and reliable power supply	SA26-E1			Black/White	L100*W26*H29
90-degree Vertical Splicing Module - Allows a 90° vertical connection - Ensures stable power and signal transmission	SA26-V90			Black/White	L26*W26*H126
Straight-through Module - Connects two track sections in a straight line - Strong and stable connection	SA26-T180			Black/White	L46*W26*H6
Horizontal Corner Module - External Corner - Creates a 90° horizontal turn - Enables flexible track layouts	SA26-H90E			Black/White	L36*W36*H6
Three-way Module - Connects three track directions - Ideal for multi-directional installations	SA26-T120			Black/White	L46*W36*H6
Four-way Module - Connects four track directions - Suitable for complex layouts	SA26-X120			Black/White	L46*W46*H6



PREMIUM
QUALITY



EASY
INSTALLATION



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

COB MINI SPOTLIGHT SERIES

Compact Design. Precise Lighting. Enhance Every Detail.



HIGH BRIGHTNESS
RA≥90



PRECISE BEAM ANGLE
15°/24°/36°



RELIABLE QUALITY
LONG LIFESPAN



EASY INSTALLATION
CUTOUT DESIGN



01 SERIES 01 COB MINI SPOTLIGHT



Model No.	Power	Product Size	Beam Angle	Cutout
SA-SD550701	7W	φ63*H80mm	15°/24°/36°	φ55mm
SA-SD751201	12W	φ85*H81mm	15°/24°/36°	φ75mm

BODY: WHITE FACE

REFLECTOR CUP OPTIONS



Matte White



Matte Black



Bright Silver



Gunmetal Black



02 SERIES 02 COB MINI SPOTLIGHT



Model No.	Power	Product Size	Beam Angle	Cutout
SA-SD751202	12W	φ85*H81mm	15°/24°/36°	φ75mm

BODY OPTIONS

WHITE FACE + BLACK CUP



Matte White



Matte Black


BRIGHT SILVER



Bright Silver



Gunmetal Black



03 SERIES 03 COB MINI SPOTLIGHT



Model No.	Power	Product Size	Beam Angle	Cutout
SA-SD550703	7W	φ63*H80mm	15°/24°/36°	φ55mm
SA-SD751203	12W	φ85*H81mm	15°/24°/36°	φ75mm


BODY OPTIONS



White Face



Black Face



PREMIUM
QUALITY



EASY
INSTALLATION



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

LANCOME
SPOTLIGHT SERIES

Compact Design. Precise Lighting. Enhance Every Detail.



HIGH
BRIGHTNESS
RA≥90



PRECISE
BEAM ANGLE
15°/24°/36°



RELIABLE
QUALITY
LONG LIFESPAN



EASY
INSTALLATION
CUTOUT DESIGN



Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body	Reflector Cup Options
SA-SD550704	Φ68*H58mm	7W	15°/24°/36°	Φ55mm	White Face	Glossy White / Glossy Black / Frosted Silver / Gunmetal Black
SA-SD751204	Φ85*H80mm	12W	15°/24°/36°	Φ75mm	White Face	Glossy White / Glossy Black / Frosted Silver / Gunmetal Black
SA-SD952004	Φ105*H105mm	25W	15°/24°/36°	Φ95mm	White Face	Glossy White / Glossy Black / Frosted Silver / Gunmetal Black

SHEYUE
SPOTLIGHT SERIES

Compact Design. Precise Lighting. Enhance Every Detail.

Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body	Reflector Cup Options
SA-SD550705	Φ65*H85mm	7W	15°/24°/36°	Φ55mm	White Face	White / Glossy Black / Silver / Gunmetal Black
SA-SD751205	Φ85*H85mm	12W	15°/24°/36°	Φ75mm	White Face	White / Glossy Black / Silver / Gunmetal Black
SA-SD952005	Φ110*H110mm	20W	15°/24°/36°	Φ95mm	White Face	White / Glossy Black / Silver / Gunmetal Black

MINI SPOTLIGHT SERIES

Compact Design. Precise Lighting. Enhance Every Detail.



-  **HIGH BRIGHTNESS**
-  **PRECISE BEAM ANGLE**
-  **RELIABLE QUALITY**
-  **EASY INSTALLATION**

Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body	Reflector Cup Options
SA-SD350306	φ41*H88mm	3W	15°/24°/36°	φ35mm	White Face	White / Glossy Black / Silver / Gunmetal Black
SA-SD450706	φ51*H97mm	7W	15°/24°/36°	φ45mm	White Face	White / Glossy Black / Silver / Gunmetal Black
SA-SD551206	φ60*H115mm	12W	15°/24°/36°	φ55mm	White Face	White / Glossy Black / Silver / Gunmetal Black

DEEP REFLECTOR SPOTLIGHT SERIES

Compact Design. Precise Lighting. Enhance Every Detail.



Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body	Reflector Cup Options
SA-SD450707	φ55*H96mm	7W	15°/24°/36°	φ45mm	White Face	White / Glossy Black / Silver / Gunmetal Black

CYLINDER SPOTLIGHT SERIES

Compact Design. Precise Lighting. Enhance Every Detail.



Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body	Body Options
SA-SD400508	φ45*H50mm	5W	15°/24°/36°	φ40mm		White + Black / All White
SA-SD500708	φ58*H65mm	7W	15°/24°/36°	φ50mm		White + Black / All White
SA-SD601208	φ70*H72mm	12W	15°/24°/36°	φ60mm		White + Black / All White

ADJUSTABLE DOWNLIGHT
SERIES

Compact Design. Precise Lighting. Enhance Every Detail.



HIGH
BRIGHTNESS



PRECISE
BEAM ANGLE
15°/24°/36°



RELIABLE
QUALITY



EASY
INSTALLATION



Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body
SA-SD750709	Φ90*H82mm	7W	15°/24°/36°	Φ75mm	White
SA-SD951209	Φ110*H92mm	12W	15°/24°/36°	Φ95mm	White
SA-SD1152009	Φ135*H110mm	20W	15°/24°/36°	Φ115mm	White
SA-SD1503009	Φ165*H140mm	30W	15°/24°/36°	Φ150mm	White

SURFACE SPOTLIGHT
SERIES

Compact Design. Precise Lighting. Enhance Every Detail.



Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body
SA-SD750710	Φ81*H106mm	7W	15°/24°/36°	Φ75mm	White
SA-SD751210	Φ81*H118mm	12W	15°/24°/36°	Φ75mm	White



APPLICATIONS

Ideal for retail stores, boutiques, galleries, showrooms, and commercial spaces where accent lighting and visual comfort are essential.

CYLINDER DOWNLIGHT SERIES



HIGH
BRIGHTNESS



PRECISE
BEAM ANGLE
15°/24°/36°



RELIABLE
QUALITY



EASY
INSTALLATION

Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body
SA-SD751211	Φ85*H136mm	12W	15°/24°/36°	Φ75mm	White

SPOT ADJUSTABLE SERIES



HIGH
BRIGHTNESS



PRECISE
BEAM ANGLE
15°/24°/36°



RELIABLE
QUALITY



EASY
INSTALLATION

Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body
SA-SD751212	Φ81*H93mm	12W	15°/24°/36°	Φ75mm	White

DEEP DOWNLIGHT SERIES



HIGH
BRIGHTNESS



PRECISE
BEAM ANGLE
15°/24°/36°



RELIABLE
QUALITY



EASY
INSTALLATION

Model No.	Product Size	Light Source Power	Beam Angle	Cutout	Body / Reflector Cup
SA-SD751213	Φ85*H70mm	12W	15°/24°/36°	Φ75mm	White Face Reflector Cup: White / Black



APPLICATIONS

Ideal for retail stores, boutiques, galleries, showrooms, and commercial spaces where accent lighting and visual comfort are essential.

RECESSED DOWNLIGHT SERIES

Comfortable light experience,
perfect visual effect.



HIGH
BRIGHTNESS



PRECISE
BEAM ANGLE
15°/24°/36°



RELIABLE
QUALITY



EASY
INSTALLATION



SA-SD550514

Product Size: ø61*H70mm
Light Source Power: 5W
Beam Angle: 15°/24°/36°
Cutout: ø55mm
Body: White face
Reflector Cup: White/Black

Beam Angle	Light Source Power	Cutout
15°	5W	ø55mm
24°	5W	ø55mm
36°	5W	ø55mm



SA-SD751014

Product Size: ø84*H86mm
Light Source Power: 10W
Beam Angle: 15°/24°/36°
Cutout: ø35mm
Body: White face
Reflector Cup: White/Black

Beam Angle	Light Source Power	Cutout
15°	10W	ø75mm
24°	10W	ø75mm
36°	10W	ø75mm



SA-SD751814

Product Size: ø105*H100mm
Light Source Power: 18W
Beam Angle: 15°/24°/36°
Cutout: ø55mm
Body: White face
Reflector Cup: White/Black

Beam Angle	Light Source Power	Cutout
15°	18W	ø95mm
24°	18W	ø95mm
36°	18W	ø95mm



APPLICATIONS

Ideal for retail stores, boutiques, galleries, showrooms, and commercial spaces where accent lighting and visual comfort are essential.



PREMIUM
QUALITY



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

COB LED DOWNLIGHT SERIES

High performance. Visual comfort.
Ideal for commercial and residential lighting.



		⚡ WATTAGE	△ BEAM ANGLE	⊖ CUTOUT	📏 SIZE	🎨 COLOR
	SA-TD751001 2.5 inch	10W	60°	φ75mm	φ85*H48mm	○ White ● Black
	SA-TD951501 3.5 inch	15W	60°	φ95mm	φ130*H52mm	○ White ● Black
	SA-TD1202001 4 inch	20W	60°	φ120mm	φ160*H53mm	○ White ● Black
	SA-TD1502501 5 inch	25W	60°	φ150mm	φ181*H55mm	○ White ● Black
	SA-TD1703001 6 inch	30W	60°	φ170mm	φ200*H58mm	○ White ● Black
	SA-TD2004001 8 inch	40W	60°	φ200mm	φ230*H64mm	○ White ● Black



PREMIUM
QUALITY



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

COB LED DOWNLIGHT SERIES

Efficient illumination Comfortable lighting
Ideal for commercial and residential spaces.



HIGH
BRIGHTNESS



WIDE BEAM
ANGLE 80°



RELIABLE
QUALITY



EASY
INSTALLATION



SERIES A

COB DOWNLIGHT
(Prismatic Diffuser)



Model No.	Size	Power	Beam Angle	Cutout	Inch	Body Color
SA-TD751002	Φ85*H57mm	10W	80°	Φ75mm	2.5"	○ White ● Black
SA-TD951502	Φ105*H51mm	15W	80°	Φ95mm	3.5"	○ White ● Black
SA-TD1202002	Φ138*H62mm	20W	80°	Φ120mm	4"	○ White ● Black
SA-TD1503002	Φ165*H68mm	30W	80°	Φ150mm	5"	○ White ● Black

SERIES B

COB DOWNLIGHT
(Clear Lens)



Model No.	Size	Power	Beam Angle	Cutout	Inch	Body Color
SA-TD751003	Φ85*H45mm	10W	80°	Φ75mm	2.5"	○ White
SA-TD951503	Φ105*H50mm	15W	80°	Φ95mm	3.5"	○ White
SA-TD1202003	Φ140*H60mm	20W	80°	Φ120mm	4"	○ White
SA-TD1503003	Φ180*H82mm	30W	80°	Φ150mm	5"	○ White

APPLICATIONS

Ideal for retail stores,
hotels, offices, homes
and commercial spaces.



RETAIL STORES



HOTELS



HOMES



OFFICES

COB LED
DOWNLIGHT SERIES

High performance. Precise lighting.
Perfect for commercial and residential spaces.

- 

HIGH
BRIGHTNESS
- 

NARROW BEAM
ANGLE 24°
- 

RELIABLE
QUALITY
- 

EASY
INSTALLATION



SERIES 1 - SA-TD751204



Product Size	Φ95*H42mm
Light Source Power	12W
Beam Angle	24°
Cutout	Φ75mm
Inch	2.5 inch

AVAILABLE COLORS



SERIES OVERVIEW

Model No.	Product	Product Size	Power	Beam Angle	Cutout	Inch	Body Color
SA-TD751204		Φ95*H42mm	12W	24°	Φ75mm	2.5 inch	
SA-TD751206		Φ84*H58mm	12W	24°	Φ75mm	2.5 inch	
SA-TD952006		Φ108*H65mm	20W	24°	Φ95mm	3.5 inch	

APPLICATIONS

Ideal for retail stores, hotels, galleries, showrooms, offices, and high-end residential lighting.



RETAIL STORES



HOTELS



GALLERIES



OFFICES

COB LED DOWNLIGHT SERIES

Modern design. High performance.
Ideal for commercial and residential spaces.



SERIES 1

ALL BODY COLORS



Model No.	Product Size	Power	Body Color
SA-MZ500701	φ50*H66mm	7W	☐ White ☒ Black
SA-MZ701201	φ70*H90mm	12W	☐ White ☒ Black
SA-MZ902001	φ90*H100mm	20W	☐ White ☒ Black

SERIES 2

GOLD RIM OPTIONS



Model No.	Product Size	Power	Body Color
SA-MZ500702	φ50*H66mm	7W	☐ White + Gold ☒ Black + Gold
SA-MZ701202	φ70*H90mm	12W	☐ White + Gold ☒ Black + Gold
SA-MZ902002	φ90*H100mm	20W	☐ White + Gold ☒ Black + Gold

SERIES 3

CLEAR SIDE DESIGN



Model No.	Product Size	Power	Body Color
SA-MZ801203	φ80*H80mm	12W	☐ White ☒ Black
SA-MZ1002003	φ100*H90mm	20W	☐ White ☒ Black

APPLICATIONS

Perfect for retail stores, hotels, offices, homes and other indoor spaces.



RETAIL STORES



HOTELS



HOMES



OFFICES

CYLINDER COB LED DOWNLIGHT SERIES

Minimalist design. Excellent performance.
Ideal for commercial and residential spaces.



PRODUCT FEATURES

- High quality COB LED chip
- Aluminum body with premium finish
- Multiple reflector cup options
- Narrow, medium and wide beam angles
- Ideal for accent and general lighting

BODY COLOR



Black

White

REFLECTOR CUP OPTIONS



Champagne Gold

White

Silver

Gunmetal Black

Model No.	Product Size (D*H)	Power	Beam Angle	Inch	Body Color	Reflector Cup Options
	SA-MZ751204	Φ75*H100mm	12W	15° / 30° / 45°	2.5 inch	Black White 
	SA-MZ951804	Φ95*H115mm	18W	15° / 30° / 45°	3.5 inch	Black White 
	SA-MZ1152504	Φ115*H135mm	25W	15° / 30° / 45°	3.5 inch	Black White 
	SA-MZ1404004	Φ140*H170mm	40W	15° / 30° / 45°	4.5 inch	Black White 

APPLICATIONS

Perfect for retail stores, hotels, restaurants, offices, galleries, and other indoor spaces.



RETAIL STORES



HOTELS



GALLERIES



OFFICES

COB LED SURFACE SPOTLIGHT SERIES

Modern design. Precise lighting.
Ideal for commercial and residential spaces.



HIGH
BRIGHTNESS



MULTIPLE BEAM
ANGLES



RELIABLE
QUALITY




EASY
INSTALLATION



SA-MZ851205

Product Size	Φ85*H88mm
Light Source Power	12W
Beam Angle	15° / 24° / 38°
Body Color	☐ White ☒ Black


BEAM ANGLE OPTIONS



SA-MZ851206

Product Size	L85*W85*H88mm
Light Source Power	12W
Beam Angle	15° / 24° / 38°
Body Color	☐ White ☒ Black


BEAM ANGLE OPTIONS



SA-MZ432007

Product Size	L195*W43*H67mm
Light Source Power	20W
Beam Angle	30°
Body Color	☐ White ☒ Black

BEAM ANGLE OPTION



APPLICATIONS

Perfect for retail stores, hotels, restaurants, offices, galleries, and other indoor spaces.



RETAIL STORES



HOTELS



GALLERIES



OFFICES



PREMIUM
QUALITY



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

LINEAR GRID COB LED LIGHT SERIES

Minimalist design with anti-glare grid.
Ideal for commercial and residential spaces.



HIGH
BRIGHTNESS



ANTI-GLARE
DESIGN



RELIABLE
QUALITY



EASY
INSTALLATION

BODY COLOR



Black



White

REFLECTOR CUP OPTIONS



Black Reflector



White Reflector

BEAM ANGLE OPTIONS



30°



45°

Model No.	Product Size (L*W*H)	Cutout Size (L*W)	Power	Beam Angle	Color Temperature	CRI	Installation
SA-GS351001	148*45*32mm	143*37mm	10W	30° / 45°	3000K 4000K 6500K	≥90	Recessed
SA-GS352001	281*45*32mm	277*37mm	20W	30° / 45°	3000K 4000K 6500K	≥90	Recessed
SA-GS353001	413*45*32mm	409*37mm	30W	30° / 45°	3000K 4000K 6500K	≥90	Recessed

APPLICATIONS

Perfect for retail stores, hotels, offices, galleries, showrooms and other indoor spaces.



RETAIL STORES



HOTELS



GALLERIES



OFFICES



PREMIUM
QUALITY



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

LINEAR GRID COB LED LIGHT SERIES

Minimalist design with anti-glare grid.
Ideal for commercial and residential spaces.



BODY COLOR



Black



White

REFLECTOR CUP OPTIONS




Black Reflector



White Reflector

BEAM ANGLE OPTION



Model No.	Product Size (L*W*H)	Cutout Size (L*W)	Power	Beam Angle	Color Temperature	CRI	Installation
SA-GS350602	94.5*45*37.8mm	88*35mm	6W	30°	● 3000K ● 4000K ● 6500K	≥90	Recessed
SA-GS351002	148*46*45mm	142*35mm	10W	30°	● 3000K ● 4000K ● 6500K	≥90	Recessed
SA-GS352002	282*46*45mm	278*35mm	20W	30°	● 3000K ● 4000K ● 6500K	≥90	Recessed
SA-GS353002	414*46*45mm	410*35mm	30W	30°	● 3000K ● 4000K ● 6500K	≥90	Recessed

APPLICATIONS

Perfect for retail stores, hotels, offices, galleries, showrooms and other indoor spaces.



RETAIL STORES



HOTELS



GALLERIES



OFFICES



HIGH
BRIGHTNESS



ANTI-GLARE
DESIGN



RELIABLE
QUALITY



ENERGY
EFFICIENT



EASY
INSTALLATION



GRID COB LED LIGHT SERIES (Recessed)



Body Color



Black



White

Reflector Cup



Black



Black

Model No.	Product Size (L*W*H)	Cutout Size (L*W)	Power	Beam Angle	Color Temperature	CRI	Installation
SA-GS452003	205*53*47mm	200*45mm	20W	30°	3000K 4000K 6500K	≥90	Recessed

XGD MAGNETIC TRACK LIGHT SERIES

SA-XGD051501



□ L220*W50*H110mm

□ 15W

□ 36°

○ White

● Black

SA-XGD062001



□ L260*W50*H110mm

□ 20W

□ 36°

○ White

● Black

SA-XGD103001



□ L410*W50*H110mm

□ 30W

□ 36°

○ White

● Black

SA-XGD124001



□ L490*W50*H110mm

□ 30W

□ 36°

○ White

● Black

SURFACE LINEAR LIGHT SERIES

SA-XGD362402



□ L360*W78*H22mm

□ 24W

□ 60°

○ White

● Black

SLIM LINEAR LIGHT SERIES

SA-XGD281803



□ L280*W60*H16mm

□ 18W

□ 65°

○ White

● Black

SA-XGD563603



□ L560*W60*H16mm

□ 36W

□ 65°

○ White

● Black

APPLICATIONS



RETAIL STORES



HOTELS



GALLERIES



OFFICES



RESIDENTIAL SPACES



PREMIUM
QUALITY



ENERGY
EFFICIENT



LONG
LIFESPAN

www.soailighting.com

TRACK LIGHT SERIES

Professional lighting solutions for modern spaces



NVC-STYLE TRACK LIGHT SERIES



Model No.	Product Size (D*H)	Power	Beam Angle	Body Color
SA-GD601001	Φ60*H1128mm	10W	24°	○ White ○ White
SA-GD602001	Φ60*H1148mm	10W	24°	
SA-GD733001	Φ73*H1168mm	10W	24°	● Black ● Black
SA-GD834001	Φ83*H1170mm	10W	24°	

BEAM ANGLE




THREE-COLOR DIP-SWITCH CCT-ADJUSTABLE TRACK LIGHT SERIES



Model No.	Product Size (D*H)	Power	Beam Angle	CCT Options	Body Color
SA-GD602002	Φ60*H160mm	20+20W	15°/24°/36°	● 3000K ● 4000K ● 6500K	○ White ○ White ● Black ● Black
SA-GD753002	Φ75*H170mm	30+30W	15°/24°/36°		

BEAM ANGLE OPTIONS




ROTATING TRACK LIGHT SERIES



Model No.	Product Size (D*H)	Power	Beam Angle	Body Color
XH-GD550703	Φ55*H70mm	7W	15°/24°/36°	○ White ○ White ● Black ○ White
XH-GD671203	Φ67*H80mm	12W	15°/24°/36°	

BEAM ANGLE OPTIONS



APPLICATIONS



PREMIUM QUALITY



ENERGY EFFICIENT



LONG LIFESPAN

www.soailighting.com

2-WIRE TRACK SYSTEM

Reliable connection | Safe & stable | Easy installation



**COPPER
CONDUCTOR**



**SAFE & STABLE
PERFORMANCE**



**EASY
INSTALLATION**



**ENERGY
EFFICIENT**



01



02



03



04




2-WIRE TRACK

Plastic steel, copper-plated

- High quality plastic steel material
- Copper-plated conductive strip
- Good insulation, safe and durable
- Suitable for various track light fixtures

COLOR

White Black



Length	Color
1m	White / Black
1.5m	White / Black
2m	White / Black
3m	White / Black


2-WIRE TRACK

Small flat base, copper-plated

- Small flat base design
- Copper-plated conductive strip
- Compact structure, modern look
- Easy installation, space saving

COLOR

White Black



Length	Color
1m	White / Black
1.5m	White / Black
2m	White / Black
3m	White / Black


2-WIRE TRACK

Brass

- Premium brass conductive strip
- Excellent conductivity & durability
- Strong load capacity
- Suitable for commercial use

COLOR

White Black



Length	Color
1m	White / Black
1.5m	White / Black
2m	White / Black
3m	White / Black

2-WIRE TRACK

Brass

- High quality brass conductor
- Superior conductivity
- Stable performance, long lifespan
- Ideal for premium lighting projects

COLOR

White Black



Length	Color
1m	White / Black
1.5m	White / Black
2m	White / Black
3m	White / Black



16MM & 20MM TRACK SYSTEM

Reliable connection | Safe & stable | Easy installation



MODEL	PRODUCT IMAGE	SLOT WIDTH	INSTALLATION	MATERIAL	SURFACE FINISH	LENGTH
SA16-A1		Slot 28mm	Plywood	Aluminum	Powder Coating	1m, 2m, 3m
SA16-A2		Slot 28mm	Plastering	Aluminum	Powder Coating	1m, 2m, 3m
SA16-A3		Surface- mounted	Surface- mounted	Aluminum	Powder Coating	1m, 2m, 3m
SA20-A1		Slot 35mm	Plywood	Aluminum	Powder Coating	1m, 2m, 3m
SA20-A2		Slot 35mm	Plywood	Aluminum	Powder Coating	1m, 2m, 3m
SA20-A3		Surface- mounted	Plywood	Aluminum	Black Anodized	1m, 2m, 3m

ROUND MAGNETIC TRACK

RECESSED / SURFACE-MOUNTED

RECESSED



PRODUCT	OUTER CUTOUT	INNER CUTOUT	NOTES
Round Magnetic Track Diameter 60 CM (Recessed)	D602	542	
Round Magnetic Track Diameter 80 CM (Recessed)	D802	742	
Round Magnetic Track Diameter 90 CM (Recessed)	D802	742	
Round Magnetic Track Diameter 1 M (Recessed)	D1002	942	
Round Magnetic Track Diameter 1.2 M (Recessed)	D1202	1142	
Round Magnetic Track Diameter 1.5 M (Recessed)	D1502	1442	D1500 circle consists of 2 sections
Round Magnetic Track Diameter 1.8 M (Recessed)	D1802	1742	D1800 circle consists of 2 sections
Round Magnetic Track Diameter 2 M (Recessed)	D2002	1942	D2000 circle consists of 3 sections

SURFACE-MOUNTED / SUSPENDED



PRODUCT	OUTER CUTOUT	INNER CUTOUT	NOTES
Round Magnetic Track Diameter 60 CM (Surface-mounted/Suspended)	/	/	
Round Magnetic Track Diameter 80 CM (Surface-mounted/Suspended)	/	/	
Round Magnetic Track Diameter 90 CM (Surface-mounted/Suspended)	/	/	
Round Magnetic Track Diameter 1 M (Surface-mounted/Suspended)	/	/	
Round Magnetic Track Diameter 1.2 M (Surface-mounted/Suspended)	/	/	
Round Magnetic Track Diameter 1.5 M (Surface-mounted/Suspended)	/	/	D1500 circle consists of 2 sections
Round Magnetic Track Diameter 1.8 M (Surface-mounted/Suspended)	/	/	D1800 circle consists of 2 sections
Round Magnetic Track Diameter 2 M (Surface-mounted/Suspended)	/	/	D2000 circle consists of 3 sections

MAGNETIC LIGHTING SYSTEM

MODULAR DESIGN | EASY INSTALLATION | FLEXIBLE LIGHTING

SOAI
lighting

MAGNETIC GRILLE LIGHT



Magnetic Grille
Light 6 LEDs

6W



Magnetic Grille
Light 12 LEDs

12W



MAGNETIC FLOOD LIGHT



Magnetic Flood
Light 18 CM

8W



Magnetic Flood
Light 36 CM

16W



MAGNETIC TRACK LIGHT



Magnetic Track
Light 7W

7W



Magnetic Track
Light 12W

12W



Magnetic Track
Light 20W

20W

